July 2010
Irena Milentijevic, Psy.D.
MHPG Educational Committee

Bibliography on Pregnancy Loss

Abboud LN & Liamputtong P. Pregnancy loss: What it means to women who miscarry and their partners. *Soc Work Health Care*. 2003; 36 (3):37-62.

Armstrong D. Parinatal loss and parinatal distress after the birth of a healthy infant. *Advances in Neonatal Care* 2007; 7:200-206.

Athey J, Spielvogel A. Risk factor and interventions for psychological sequel in woman after miscarriage. *Prim Care Update for OB/GYN* 2000; 7 (2) 64-69.

Bergner A, Beyer R, Klapp B and Rauchfuss M. Pregnancy after early pregnancy loss: A prospective study of anxiety, depressive symptomatology and coping. *J Psychosom Obstetrical and Gynecol* 2008: 29 (2): 105-113.

Brier N. Greif Following Miscarriage: A comprehensive review of literature. *J Woman Health* 2008; 17:451-64.

Brier N. Anxiety after miscarriage: A review of the empirical literature and implications for clinical practice. *Birth* 2004; 31:138-42.

Brier N. Understanding and managing the emotional reactions to a miscarriage. *Obsteat Gynecol* 1999; 93 (1): 151-155

Britt DW, Evans MI. Multifetal pregnancy reduction: With whom should parents share their situation? *Fertil Steril* 2005; 84:S23.

Broquet K. Psychological reactions to pregnancy loss. *Primary Care Update for OB/GYN* 1999; 6 (1,2):12-16.

Buetel M, Willner H, Deckardt R, Von Rad M. & Weiner H. Similarities and differences in couple's grief reactions following a miscarriage: Results from a longitudinal study. *J Psychosom Research* 1996; 40:245-253

Capitulo LK. Perinatal grief on line 2004. On line reference

Covington SN, Pregnancy loss. In Covington SN and Burns LH. Ed. *Infertility Counseling.* New York: Cambridge University Press, 2006; 290-304.

Covington SN, Theut SK. Reactions to perinatal loss: A qualitative analysis of National Maternal and Infant Health Survey. *Am J Orthopsychiatry 1993*; 63:215-22.

Cote-Arsenault D, Marshall R. One foot in-one foot out :Weathering the storm of pregnancy after perinatal loss. *Res Nurs Health* 2000; 23:473-85.

Engelhard IM, van den Hout MA, Vlaeyen JW. The sense of coherence in early pregnancy and crisis support and posttraumatic stress after pregnancy loss: A prospective study. Beh Med 2003; 29:80-4.

Engelhard IM, van den Hout MA, Arntz A. Posttraumatic stress disorder after pregnancy loss. *Gen Hosp Psychiatry* 2001; 23:62-6

Gervaize PA. The psychological aspects of recurrent miscarriage. *Infertility and Reproductive Medicine Clinics of North America* 1996; 7:807-23.

Greenfield DA, Walther VN. Psychological consideration in multifetal pregnancy reduction. *Infertil Reprod Med Clin North Am* 1993; 4:533-43

Harris, D. & Daniluk, J.C. The experience of spontaneous pregnancy loss for infertile women who have conceived through assisted reproduction technology. *Human Reproduction* 2010; 25:714-720.

Hughes P, Turton P, Hopper E, McGauley GA, Fonagy P. Disorganized attachment behavior among infants born subsequent to stillbirth. *J Child Psych Psychiatry* 2001; 42:791-801.

Klier CM, Geller PA, Ritsher JB. Affective disorders in the aftermath of miscarriage: A comprehensive review. *Arch Women Mental Health* 2002; 5:129-49.

Lamb E. The Impact of Premature Parinatal Loss on Subsequent Pregnancy. *J Parinatal Ed* 2002; 11:33-40.

Latherby G. The meanings of miscarriage. *Women's Studies International Forum* 1993; 16:165-180.

Lee C. and Slade P,. Miscarriage as a traumatic event: A review of literature and new implications for interventions. J Psychosom Research 1996; 3:235-44.

Lok IH, Yip SKA, Lee TSD, Sahota D, Chung KHT. A 1-year longitudinal study of psychological morbidity after miscarriage. *Fertil Steril* 2010; 93: 1966-75.

Lok IH and Neugebauer R. Psychological morbidity following miscarriage. *Best Practice Research Clinic Obstetrical Gynecol* 2007; 21:229-49.

James D, Kristiansen C. Women's reactions to miscarriage: The role of attributions, coping styles and knowledge. *J Appl Soc Psych* 2006. 25 (1) 59-76.

Johnson M, Baker S. Implications of coping repertoire as a predictor of men's stress, anxiety and depression following pregnancy, childbirth and miscarriage: a longitudinal study. *J Psychosom Obstetrics Gynecol* 2004; 2:87-98.

Morrissey MV. Our child is incompatible with life: Understanding miscarriage as a lived experience. *International J Psychiatric Nursing Research* 2007; 12 (2) 1417-28.

Nikicevic A, Kuczmierczyk A, Nikolades K. The influence of medical and psychological interventions on women's distress after miscarriage. *J Psychosam Research* 2007; 283-290.

Ogden J. & Maker C. The Miscarriage Experience: More than Just a Trigger to Psychological Morbidity? *Psychology & Health* 2003; 18 (3): 403-415.

Puddifoot JE, Johnson MP. Active grief, despair and difficulty coping: Some measured characteristics of male responses following their partner's miscarriage. *J Reproduct Infant Psych* 1999; 17 (1) 89-93.

Rand CS, Kellner KR, Revak Lutz R, Massey JK. Parental behavior after perinetal death: Twelve years of observation. *J Psychosom Obstet Gyneacol* 1998; 19:44-8.

Renner H.C, Verdekal S, Brier S, Falluca G. The Meaning of Miscarriage to Others: Is it a Recognized Loss? *J Loss Trauma* 2000; 5:65-76

Simmons R, Singh G, MaConock N, Doyle P, Green JU. Experience of miscarriage in the UK: Qualitative findings from the National Women's Health Study. *Soc Science Med* 2006. 63:1934-46.

Stratton K, Lloyd L. Hospital based interventions at and following miscarriage: literature to inform research-practice initiative. *Aust New Zealand J Obstet Gyneacol* 2008. 48 (1):5-11.

Swanson K. Research-based Practice with Women Who Have Had Miscarriages. Image: *J Nursing Scholarship* 1999; 31: 339-345.

Turton P, Hughes P, Evans CD, Fainman D., Incidence, correlates and predictors of post-traumatic stress disorder in the pregnancy after still birth. *Br J Psychiatry*

2001; 178:556-60

Zeanah CH. Adaptation following perinatal loss: A critical review. *J Am Acad Child and Adolesc Psychiatry* 1989; 28:467-80.